

IAEI 2005 NEC Analysis- NEC page number corrections

#	Change	NEC Page(s)
1.	Article 80	70-731 through 737
2.	90.1(D)	70-23
3.	90.2(B), FPN	70-24
4.	90.5(C)	70-24
5.	100-Bonding Jumper	70-26
6.	100 Coordination	70-27
7.	100 Device	70-28
8.	100 Grounding Electrode	70-29
9.	100 Gr Electrode Cond	70-29
10.	100 Guest Rooms/Suites	70-29
11.	100 Outline Lighting	70-30
12.	100 Qualified Person	70-30
13.	100 Sep Der Sys	70-31
14.	100 Supp OCP Dev	70-31
15.	110.1 Scope	70-33
16.	110.12 FPN	70-34
17.	110.26(C)(2)	70-37
18.	110 Part V	70-41 & 42
19.	200.6(D)	70-43
20.	210 & 220	70-45 through 66
21.	210.5Ⓞ	70-46
22.	210.6(D)(2)	70-46
23.	210.8(A)(7)	70-47
24.	210.8(B)(2)	70-47
25.	210.8(B)(4)	70-47
26.	210.8(B)(5)	70-47
27.	210.8(C)	70-47
28.	210.12(B)	70-48
29.	210.18	70-49
30.	210.19(A)(3) Ex No. 1	70-49
31.	210.52(C)	70-52 & 53
32.	210.52(D)	70-53
33.	210.52(E)	70-53
34.	210.18	70-49
35.	210.63 Ex	70-54
36.	210.70(B)	70-54
37.	215.12	70-55
38.	220	70-56 through 66
39.	220.3	70-56 & 57
40.	220.14(K)	70-59
41.	220.82(C) & Examp D2(c)	70-63 & 70-718
42.	225.16	70-67
43.	225.22	70-68
44.	225.30	70-69
45.	230.2(A)(6)	70-72

46.	230.9(A)	70-73
47.	230.40 Ex No. 1	70-74
48.	230.44	70-75
49.	230.54(C)	70-76
50.	230.71(A)	70-77
51.	230.72(B)	70-78
52.	230.82(2)	70-78
53.	230.82(7)	70-78
54.	240.2	70-81
55.	240.20(B)	70-84
56.	240.21(B)	70-85
57.	240.21(C)	70-86
58.	240.21(C)(2)(1),(c)	70-86
59.	240.21(C)(3)(1)	70-86
60.	240.24	70-87
61.	240.60(D)	70-89
62.	240.86	70-90
63.	240.92(B)(1)(2)	70-90
64.	Article 250 Title	70-92
65.	250.2	70-92
66.	250.4(A)(5)	70-92
67.	250.4(B)(4)	70-94
68.	250.8	70-95
69.	250.21	70-95
70.	250.28	70-97
71.	250.30(A)	70-97
72.	250.30(A)(1)	70-97
73.	250.30(A)(2)	70-98
74.	250.30(A)(4)	70-98
75.	250.32(A) and Exception	70-99
76.	250.34	70-100
77.	250.50 GE System	70-101
78.	250.52(A)(2)	70-101
79.	250.52(A)(7)	70-102
80.	250.64(C),(F)	70-103 & 104
81.	250.64(D)	70-104
82.	250.64(E)	70-104
83.	250.68(A) Ex	70-105
84.	250.104(D)	70-108
85.	250.118(5)	70-110
86.	250.118(6)	70-110
87.	250.118(7)(e)	70-110
88.	250.119	70-111
89.	250.126, Fig 250.126	70-112 & 113
90.	250.142(B) Exception 2	70-114
91.	250.146(A)	70-115
92.	250.184	70-117 & 118
93.	280.4(A)(4)	70-119
94.	285.3	70-120
95.	300.3(A) Exc	70-122
96.	300.4(2)(D)	70-123
97.	300.4(A)(1) Ex 2	70-123
98.	300.4(A)(2) Ex	70-123

99.	300.5(B)	70-124
100.	300.6	70-126
101.	300.11(A)(1)	70-127
102.	300.15(I) Handhole enclosures	70-129
103.	300.18(A)	70-129
104.	300.22(B)	70-131
105.	Table 300.50	70-132
106.	310.4	70-133 & 134
107.	310.4	70-134
108.	310.6	70-134
109.	310.8(D)	70-134
110.	310.10	70-135
111.	310.15(B)(2)(a)	70-140
112.	Table 310.64	70-149 & 150
113.	312.2(A)	70-158
114.	314 - Title	70-161
115.	314.1	70-161
116.	314.16(B)(1)	70-162
117.	314.20	70-164
118.	314.20	70-164
119.	314.21	70-164
120.	314.23(B)(1)	70-164
121.	314.27(D)	70-166
122.	314.29	70-167
123.	314.30-	70-167
124.	314 Part IV	Moved to Article 110 Part V 70-41 & 42
125.	320.10	70-169
126.	320.10 Uses Perm	70-169
127.	328.10 Uses Perm	70-175
128.	330.10 Uses Perm	70-175
129.	332.10 Uses Perm	70-177
130.	320.12	70-169
131.	320.12	70-169
132.	320.80(A)	70-170
133.	330.17	70-176
134.	330.17	70-176
135.	320.30	70-169 & 170
136.	330.30	70-176
137.	334.15(B)	70-179
138.	334.15(B)	70-179
139.	334.15(C)	70-179 & 180
140.	340.112	70-184
141.	342.22	70-184
142.	342.30(B)(3)	70-185
143.	344.22	70-186
144.	Table 344.24 to T2, Ch 9	70-625
145.	342.30(B)(3)	70-185
146.	344.30(B)(3)	70-186
147.	344.24	70-186
148.	348.30(A) Ex 4	70-188
149.	350.22	70-189
150.	350.30(A) Ex 3	70-189

151.	352.2	70-190
152.	352.10(H)	70-190
153.	352.12(E)	70-191
154.	352.22	70-191
155.	Article 353	70-193 & 194
156.	356.22	70-196
157.	356.30(I)	70-196
158.	356.30(B)	70-197
159.	356.42	70-197
160.	362.12(4) & Ex	70-200
161.	362.30(A) Exce 2	70-201
162.	Article 366	70-202 & 203
163.	366.58(A)	70-203
164.	366.58(B)	70-203
165.	366.100	70-203
166.	Article 368	70-204 through 206
167.	372-17	70-208
168.	374.11	70-209
169.	376.23(A)	70-210
170.	376.56(B)	70-210
171.	378.23(A)	70-211
172.	378.23(B)	70-211
173.	376.56	70-210
174.	378.23(A)	70-211
175.	378.23(B)	70-211
176.	386.30-	70-215
177.	386.70-	70-215
178.	388.22	70-216
179.	388.70-	70-216
180.	392.10(A)(1)	70-222
181.	392.11(B)(3) Ex	70-223
182.	400.5	70-235
183.	400.8	70-235 & 236
184.	400.14	70-237
185.	404.6(A), (B)	70-243
186.	404.7 Ex 2	70-243
187.	404.8(B)	70-243
188.	404.9(B) Ex	70-244
189.	406.4(A)	70-246
190.	406.4(D)	70-246
191.	406.6(B)	70-247
192.	406.6(C)	70-247
193.	406.6(D)	70-247
194.	406.8(B)(1)	70-247
195.	406.8(C)	70-247
196.	Figure 406.9(B)(4)	70-248
197.	408.4	70-249
198.	Art. 409	70-252 through 254
199.	410.1	70-254
200.	410.4(D)	70-254
201.	410.4(D)	70-254
202.	410.4(E)	70-254 & 255
203.	410.14(B)	70-256

204.	410.15(B)	70-256
205.	410.18 Ex 2	70-257
206.	410.30(C)(1)(2)c	70-258
207.	410.73(F)(5)	70-262
208.	410.73(G)	70-262
209.	410.110 Part XVI (527.5)	70-264
210.	411.4	70-264
211.	422.51 (422.XX Part IX)	70-269
212.	422.12 Ex	70-266
213.	422.16(B)(4)	70-267
214.	422.18	70-267
215.	422.31(B)	70-267
216.	422.51	70-269
217.	424.6	70-270
218.	427.27 Exc	70-283
219.	430.2 all three definitions	70-284 & 285
220.	430.7(A)(9)	70-286
221.	430.7(A)(15)	70-286
222.	430.8	70-287
223.	430.32(D)	70-293
224.	430.52(6) FPN	70-297
225.	430.53(C)(6)	70-297
226.	430.53(C)(3)	70-297
227.	430.102(B) Ex	70-304
228.	430.102(B) Ex	70-304
229.	430.109(A)(7)	70-305
230.	430 Part X	70-307
231.	430.245(B)	70-309
232.	Table 430.251(B)	70-312
233.	440.4(B) Ex	70-314
234.	440.14 Ex 1	70-316
235.	445.18	70-320
236.	450.5	70-322
237.	490.46	70-337
238.	500.1 FPN	70-340
239.	500.2 Purged and Press	70-341
240.	500.7(K)	70-345
241.	500.8(A)(2)	70-346
242.	500.8(A)(4)	70-346
243.	500.8(D)	70-348
244.	Article 501	70-348 through 358
245.	501.5 (501.1 in 2002)	70-348
246.	501.15(B)(2)	70-351
247.	501.15(F)(3)	70-353
248.	501.25; 502.25; 503.25	70-353, 359, 364
249.	501.35 and 502.35	70-353 & 360
250.	502	70-358 through 364
251.	502.15(4)	70-359
252.	503	70-364 through 366
253.	503.10(A)(3)	70-364
254.	504.10(B)	70-367 & 368
255.	504.30(B)(3)	70-368
256.	505.8(I)	70-374

257.	505.9(B)(1)	70-374
258.	505.9(E)	70-376
259.	505.16(B)(1) Ex 2	70-378
260.	505.16(E)(3)	70-380 & 381
261.	Article 506	70-383 through 388
262.	511.3	70-388 through 390
263.	511.4(A)(1) and Exc deleted	70-390
264.	511.7(A)(1)	70-390
265.	513.12 Ex	70-393
266.	514.1	70-393
267.	514.3(B)(1) Note 1	70-394
268.	514.2	70-394
269.	514.8	70-394
270.	514.13	70-397
271.	515.2	70-398
272.	516.3	70-402
273.	517.14	70-411
274.	517.16 FPN	70-411
275.	517.17	70-411
276.	517.18(C)	70-412
277.	517.30(C)(3)	70-414 & 415
278.	517.30(C)(3)(2)	70-415
279.	517.35(B)(4)	70-417
280.	Article 518	70-425 & 426
281.	518.1	70-425
282.	518.2(A), (B)	70-425
283.	518.4(B)	70-426
284.	520.68(A)(2)	70-434
285.	Article 525 Part II (525.11)	70-435
286.	Article 527 relocated to 590	70-480 through 482
287.	590.4(B) [527.4(B)]	70-481
288.	590.4(J) [527.4(J) Ex 1]	70-481 & 482
289.	590.5[527.5]	70-482
290.	547.2 Site isolation device	70-443
291.	547.5(A)	70-443
292.	547.5(G) (547.10(B))	70-444
293.	547.9	70-444 & 445
294.	547.10	70-445
295.	550.13(F)(1)	70-450
296.	551.40(A)	70-458
297.	551.47(P)(1)	70-462
298.	553.4	70-476
299.	553.8	70-477
300.	555.21	70-480
301.	555.22 (511.1)	70-480
302.	600.1 Scope	70-483
303.	600.2 section sign	70-483
304.	600.12	70-485
305.	600.24	70-486
306.	604.6(A)(1)	70-487
307.	604.6(A)(3) & (F)	70-488
308.	604.6(E)	70-488
309.	605.6	70-489

310.	605.7	70-489
311.	610.61	70-494
312.	620.2	70-494 & 495
313.	620.2	70-494 & 495
314.	620.2	70-494 & 495
315.	620.2	70-494 & 495
316.	620.22(A)	70-499
317.	625.2	70-504
318.	625.26	70-506
319.	645.17	70-516
320.	647.4(A)	70-517
321.	670.3(A)	70-525
322.	670.5 & 670.1	70-525
323.	675.8(A) Ex	70-526
324.	675.8(B) Ex 2	70-527
325.	680.8	70-530
326.	680.12	70-531
327.	680.23(B)(2)(3)	70-533
328.	680.23(B)(6)	70-534
329.	680.23(F)(1)	70-534
330.	680.26	70-536 & 537
331.	680.26(B)(1)	70-536
332.	680.26(B)(4)	70-536
333.	680.26(C)	70-537
334.	680.27(A)(2)	70-537
335.	680.34	70-538
336.	680.51(A)	70-540
337.	680.52(B)(2)(b)	70-541
338.	680.58	70-541
339.	680.74	70-543
340.	680.74	70-543
341.	Article 682	70-543 & 544
342.	685.1	70-544
343.	690.2	70-546
344.	690.13	70-549 & 550
345.	690.14(C)(1)	70-550
346.	690.14(D)	70-550
347.	690.17 Ex 1- deleted	70-550
348.	690.31(E)	70-551
349.	690.35	70-552
350.	690.47(C)	70-553
351.	690.48	70-553
352.	690.49	70-553
353.	690.64(B)(5)	70-554
354.	695.3(A)(2) Note that the over 600 V power supply requirement was overturned by the Standards Council	70-559
355.	695.4(B)(1)	70-560
356.	695.4(B)(2)	70-560
357.	695.5(B)	70-560
358.	695.5(C)(2)	70-561
359.	695.6(C)(2)	70-561

360.	695.6(D)	70-561
361.	695.6(H)	70-562
362.	695.14(E)	70-562
363.	700.12(E)	70-566
	700.28	70-567
364.	Note that Selective Coordination is 700.27	
365.	701.11(D)	70-569
366.	701.11(F)	70-569
367.	701.18	70-570
368.	702.6 Ex	70-571
369.	702.7 Ex	70-571
370.	702.11	70-571
371.	Article 702 Part IV (702.11)	70-571
372.	Article 725	70-573 through 583
373.	725.2 CI Cable definition	70-574
374.	725.3(B) {760.3(A)}	70-574 & 584
375.	725.3(C)	70-574
376.	725.41(A)(3) Ex	70-577
377.	725.56(F)	70-579
378.	725.61	70-579 through 581
379.	725.61(D)(2)	70-580
380.	725.61(E)(7)	70-580
381.	725.61(G)	70-580 & 581
382.	725.61(H)	70-581
383.	725.82(F)	70-582
384.	725.82(G)	70-582
385.	Article 760	70-584 through 592
386.	760.21	70-585
387.	760.30(B)(2) Ex 3	70-586
388.	760.30(B)(3) Ex 3	70-586
389.	760.30(B)(4) Ex 3	70-587
390.	760.41	70-587
391.	760.56(D)	70-589
392.	760.61(A)	70-589
393.	760.61(B)	70-589
394.	760.61(C)	70-589
395.	760.61(D)	70-590
396.	760.81(F)	70-590
397.	760.82(G)	70-591
398.	Article 770	70-592 through 596
399.	770.3(A)	70-592
400.	770.24	70-593
401.	800.2 Def Comm CI Cable	70-597
402.	800.100(A)(4)	70-600
403.	820.100(A)(4)	70-611
404.	830.100(A)(4)	70-620
405.	800.133(A)(1)(C) Exce	70-602
406.	800.179(H)	70-605